



1



OUTLINE

- New Upgraded PRO Series Units
 - Model Numbers
 - Industry Leading Features
 - New Features
 - Operation Panel
 - Main Menu
 - Settings Menu
 - Service Menu
 - Bluetooth App Updates



2

MODEL NUMBERS

Trade Name	Model Number	
	Old	New
EZ111DV	GQ-C3261WX-FF US	GQ-C3261WX-FF-1 US
EZ98DV	GQ-C2861WX-FF US	GQ-C2861WX-FF-1 US
EZ71DV	GQ-C2661WX-FF US	GQ-C2661WX-FF-1 US
NRCR111DV	GQ-C3261WXQ-FF US	GQ-C3261WXQ-FF-1 US
NRCR92DV	GQ-C2661WXQ-FF US	GQ-C2661WXQ-FF-1 US
NCC199CDV	GQ-C3261WZ-FF US	GQ-C3261WZ-FF-1 US

*Hybrid Hot and Pre-Made Rack Systems are TBD on release of new version



3

INDUSTRY LEADING FEATURES




- PRO Series units have Industry Leading Features that apply to all units
- Warranty
 - EZ PRO Series – 25 years on the heat exchanger
 - NRCR PRO Series – 15 years on the heat exchanger
 - CDV PRO Unit – 10 years on the heat exchanger
 - Hybrid Hot PRO System – 10 years on the heat exchanger & tank



- Energy Efficiency – **0.98 UEF** on all units

- Bluetooth App



- Versatile Venting

- Direct Vent
- Single Vent
- Outdoor
- Flex Vent (EZ & NRCR only)
- No Roof Kit




4

NEW UPGRADED FEATURES

Same Industry Leading Product with additional features



Built-in Operation Panel



Vacation Mode



Change Pump Speed on NRCR

Quick Connect Pro:
Up to 8 NCC199CDV PRO
and you can monitor all 8 at
the same time



5

OPERATION PANEL



- Operation Panel has replaced the built-in display
- Waterproof keypad
- All unit setting and MM information available at your fingertips



6

OPERATION PANEL



Operation Panel has 6 buttons:

- Back Button
- OK Button
- Up and Down Buttons
- Menu Button
- Power Button

Main Display shows:


- Bluetooth Pairing Code
- LP Gas Icon
- Screen Lock Icon
- Burner On Icon
- Time
- Flow Rate of System
- Recirculation Icons
- Set Temperature (over 120 F - Hi-Temp is displayed)
- Vacation Mode Icon


Screen is illuminated **Blue**, but when there is a warning or error code, it illuminates **Red**



7

MAIN MENU

Enter the Main Menu by pushing the  button




Main Menu 1/3




Main Menu 2/3




Main Menu 3/3




1. Status



2. Recirculation



8. Maintenance Monitor



9. System Maintenance Monitor








10. Error History



8

SETTINGS MENU

Settings Menu is for adjusting the Operation Panel Display along with setting maximum hot water temp and clock



1. Max Set Temperature

2. Clock





9. Screen Lock



SERVICE MENU





To enter the Service Menu, Push and Hold both Arrow Keys



1. Installer Menu 1/3

1. Installer Menu 2/3

1. Installer Menu 3/3



1. Maintenance Menu 1/2


1. Maintenance Menu 2/2

3. Maintenance Writer

4. Language

Only Service Menu can be changed to Spanish

BLUETOOTH APP UPDATES



- EZ Start PLUS App has been updated
- Installer Authentication Setting Screen
- Users don't have access to Unit Settings or Trial Operation
- Vacation Mode
- 10 saved slots within Unit Setting Menu



11



PRO SERIES



Best Efficiency
Best Warranty
Best Heater
Best Support



Now Easiest to Install



12

HELPFUL LINKS

866-7NORITZ (866-766-7489)

- Monday – Friday: 5am to 5pm PST
- Saturday: 6am to 3pm PST



EZ Start Plus App



Gas Conversion



SUPPORT.NORITZ.COM



NORITZ.COM/TECHTIPS



HELP.NORITZ.COM



TRAINING.NORITZ.COM



YOUTUBE.COM/
NORITZAMERICA



PROCARD.NORITZ.COM

